

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

3255

U. S. DEPARTMENT OF AGRICULTURE
★ FEB 2 1937 ★
U. S. Department of Agriculture

The Profile Collecting Company

L. H. WILLIAMS, Mgr.



**Collector of
Native Hardy Plants,
Ferns, Shrubs and Trees**

Phone 4418-R
MANCHESTER, N. H.
Residence, 133 Sunnyside St.
P. O. BOX 21

*Annual
Wholesale Price List
1937*

This Trade List Cancels All Previous Trade Lists
We Ship Only Highest Quality

LOCATION

Manchester is located 40 miles north of Boston, on the Boston and Maine Railroad, with excellent shipping facilities to Boston, New York and West.

TERMS

Our terms are cash unless otherwise arranged. **To buyers unknown to us, we must have references or cash.** We allow a cash discount of 2 per cent. Boxing and packing at cost unless cash accompanies order, and then no charge is made for either. 250 at thousand rates, 25 at hundred rates.

We stand ready to correct our errors, but only if notified at once upon receipt of stock.

Our responsibility for condition of stock ends with delivery to the transportation company.

We make no warranty expressed or implied, but in no case shall we be held for damage exceeding the original cost of the goods.

REMARKS

Please state how to ship, express or freight, otherwise we will ship express.

Our stock receives the same care in digging, packing and trucking as stock grown in the nursery. Our collectors are men of experience.

Our shipping season extends from April first to June first and from September first until December first.

Ferns and Plants marked * are rock garden material.

THE PROFILE COLLECTING COMPANY

P. O. BOX 21

MANCHESTER, N. H.

HARDY NATIVE LILIES AND BULBOUS PLANTS

| | 10 | 100 | 1000 |
|--|--------|---------|---------|
| Arisaema triphyllum, Jack-in-the-pulpit | \$.75 | \$ 3.00 | \$25.00 |
| *Convallaria majalis, Lily-of-the-Valley, Clumps | 1.00 | 4.00 | 30.00 |
| *Erythronium americanum, common Trout Lily | .75 | 3.00 | 20.00 |
| Lilium canadense, Canada Lily | | | |
| Extra large blubs | 1.50 | 10.00 | |
| First size | 1.00 | 4.00 | 30.00 |
| Second size | .50 | 2.50 | 20.00 |
| " Canadense flavum, Yellow Canada Lily | 1.00 | 5.00 | 40.00 |
| * " Philadelphicum, Orange Cup Lily | | | |
| First size | 1.00 | 4.50 | 40.00 |
| Second size | .50 | 3.00 | 25.00 |
| " Superbum, American Turkscap Lily | | | |
| First size | 1.25 | 7.00 | 60.00 |
| Second size, medium large | .75 | 4.00 | 35.00 |
| " Tigrinum splendens, Tiger Lily | 1.00 | 5.00 | |
| Mertensia virginica, Virginia Bluebells | | | |
| First size | 1.00 | 4.50 | 35.00 |
| *Sanguinaria canadensis, Bloodroot | .50 | 3.00 | 20.00 |
| *Trillium erectum, Purple Trillium, First size | .50 | 2.50 | 20.00 |
| * " Grandiflorum, Snow Trillium, First size | .75 | 3.00 | |
| * " Undulatum, Painted Trillium, First size | 1.00 | 4.00 | 30.00 |

HARDY NATIVE FERNS

The Ferns are our most useful plants. The Ferns marked † will grow in the open sun. The following Ferns are strong clumpy plants and are the best for general use.

| | | | |
|--|------|------|-------|
| *Adiantum pedatum, Maidenhair, Heavy Clumps | 1.00 | 4.00 | 35.00 |
| *Asplenium platyneuron, Ebony Spleenwort | 1.00 | 4.00 | 35.00 |
| †Athyrium filixfemina, Lady Fern, Strong plants | 1.00 | 3.50 | 30.00 |
| Botrychium virginianum, Rattlesnake Fern | 1.50 | 7.50 | |
| *†Dennstedati punctiobula, Hayscented Fern, Heavy clumps | 1.00 | 4.00 | 30.00 |
| Dryopteris clintoniana, Clinton Wood Fern | 1.00 | 5.00 | |

| | | | |
|--|------|------|-------|
| | 10 | 100 | 1000 |
| * <i>Dryopteris cristata</i> , Crested Wood Fern | 1.00 | 4.00 | |
| * " <i>linnaeana</i> , Oak Fern | 1.00 | 5.00 | 40.00 |
| * " <i>marginalis</i> , Leather Wood Fern | 1.00 | 3.00 | 25.00 |
| " <i>noveboracensis</i> , New York Fern | 1.00 | 4.00 | |
| * " <i>spinulosa</i> , Toothed Wood Fern | 1.00 | 3.50 | 25.00 |
| " <i>thelypteris</i> , Marsh Fern ... | 1.00 | 3.50 | 30.00 |
| † <i>Onoclea sensibilis</i> , Sensitive Fern | 1.00 | 3.00 | 25.00 |
| <i>Osmunda cinnamomea</i> , Cinnamon Fern, Clumps | 1.00 | 4.00 | 35.00 |
| † " <i>claytonia</i> , Interrupted Fern, Strong Clumps | 1.00 | 4.50 | 40.00 |
| " <i>regalis</i> , Royal Fern, Large Clumps | 1.00 | 4.00 | 30.00 |
| " <i>regalis gracilis</i> , Slender Royal Fern | 1.00 | 4.50 | 35.00 |
| * <i>Polipodium vulgare</i> , Common Polipody, Large Clumps . | 1.00 | 3.50 | 25.00 |
| * <i>Polystichum acrostichoides</i> , Christmas Fern, Large... | 1.00 | 3.50 | 30.00 |
| † <i>Pteretis nodulosa</i> , Ostrich Fern, Large | 1.00 | 4.00 | 35.00 |
| † <i>Pteridium aquilinum</i> , Bracken | 1.00 | 4.00 | 30.00 |
| * <i>Woodsia ilvensis</i> , Rusty Woodsia | 1.00 | 4.00 | |
| * " <i>obtusa</i> , Common Woodsia.. | .75 | 4.00 | |
| <i>Woodwardia virginica</i> , Virginia Chain Fern | 1.00 | 3.50 | 30.00 |

HARDY NATIVE ORCHIDS

| | | | |
|--|------|-------|-------|
| <i>Calopogon pulchellus</i> , Grass Pink Orchid | 1.00 | 6.00 | |
| <i>Cypripedium acaule</i> , Pink Lady-slipper | | | |
| Extra large, three or more crowns | 1.75 | 12.00 | |
| One and two crowns | 1.00 | 4.00 | 30.00 |
| " <i>pubescens</i> , Yellow Ladyslipper Per strong crown | 1.00 | 5.00 | 40.00 |
| " <i>spectabile</i> , Showy Ladyslipper Per strong crown | 1.00 | 5.00 | 40.00 |
| <i>Goodyera pubescens</i> , Downy Rattlesnake Plantain | 1.00 | 4.00 | |
| " <i>repens</i> , Creeping Rattlesnake Plantain | 1.00 | 5.00 | |

| | 10 | 100 | 1000 |
|--|------|-------|------|
| Habenaria fimbriata, Large Purple Fringed Orchid | 1.50 | 10.00 | |
| “ lacera, Green Fringed Orchid | 1.00 | 5.00 | |
| “ psycodes, Small Purple Fringed Orchids | 1.25 | 10.00 | |
| Pogonia ophioglossoides, Rose Pogonia | 1.50 | 10.00 | |

HARDY NATIVE AQUATIC AND BOG PLANTS

| | | | |
|--|------|------|-------|
| Acorus calamus, Sweet Flag.. | .50 | 3.00 | 25.00 |
| Asclepias incarnata, Swamp Milkweed | 1.00 | 4.50 | 35.00 |
| Calla palustris, Wild calla.... | 1.00 | 2.50 | 20.00 |
| Caltha palustris, Marsh Marigold | 1.00 | 3.00 | 25.00 |
| Chelone glabra, White Turtle-head | 1.00 | 4.50 | 35.00 |
| Iris prismatica, Cubeseed Iris. | .75 | 3.00 | 25.00 |
| “ versicolor, Blueflag | .75 | 3.00 | 20.00 |
| Lobelia cardinalis, cardinal flower | 1.00 | 4.00 | 30.00 |
| Nuphar advena, spatterdock... | 1.00 | 4.50 | 40.00 |
| Nymphaea odorata, American Waterlily | 1.00 | 4.50 | 40.00 |
| Pontederia cordata, Pickerelweed | 1.00 | 3.50 | 25.00 |
| Sagittaria engelmanniana, Engelmann's Arrowhead | 1.00 | 6.00 | |
| “ latifolia, Common Arrowhead | 1.00 | 6.00 | |
| Sarracenia purpurea, Common Pitcher Plant | 1.00 | 3.50 | 25.00 |
| Thalictrum polygamum, Tall Meadowrue | 1.00 | 3.50 | 25.00 |
| Typha angustifolia, Narrowleaf Cattail | 1.00 | 5.00 | |
| “ latifolia, Common Cattail... | 1.00 | 5.00 | |

HARDY NATIVE VINES AND GROUND COVER

| | | |
|---|------|-------|
| Ampelopsis quinquefolia, Virginia creeper, Rooted Runners | 2.50 | 15.00 |
| *Arctostaphylos uva-ursi, Bareberry, rooted layers | 4.00 | 30.00 |
| Apios tuberosa, Potato Bean.. | 3.00 | 25.00 |

| | 10 | 100 | 1000 |
|---|------|-------|-------|
| Celastrus scandens, American Bittersweet | | | |
| 1-2 ft. | | 3.00 | 20.00 |
| 2-4 ft. | | 4.00 | 35.00 |
| *Chimaphilla umbellata, Common Pipsisewa | .75 | 3.00 | 25.00 |
| *Chiogenes hispidula, Creeping Snowberry | 1.00 | 4.00 | 35.00 |
| Clematis virginiana, Virgin Bower, Large | | 3.00 | 25.00 |
| *Clintonia borealis, Bluebead... | .75 | 3.00 | 20.00 |
| *Coptis trifolia, Goldthread | .75 | 3.00 | 20.00 |
| *Cornus canadensis, Bunchberry clumps | 1.00 | 3.50 | 30.00 |
| *Dalibarda repens, Dalibarda clumps | 1.00 | 3.00 | 25.00 |
| *Epigera repens, Trailing Arbutus | | | |
| Large Plants with ball | 1.50 | 10.00 | |
| Small seedling plants with ball | 1.00 | 6.00 | |
| *Gaultheria procumbens, Wintergreen, 6-in. sods | 1.00 | 5.00 | 40.00 |
| *Hepatica trilobula, Roundlobe Hepatica | .75 | 3.00 | 25.00 |
| Lycopodium complanatum, Ground Pine | .75 | 2.50 | 20.00 |
| “ obscurum, Ground Cedar .. | .75 | 2.50 | 20.00 |
| *Lysimachia nummularia, Moneywort | 1.00 | 3.50 | 25.00 |
| *Nepeta hederacea, Ground Ivy | 1.00 | 3.50 | 25.00 |
| *Mitchella repens, Partridgeberry with ball | 1.00 | 3.50 | 30.00 |
| *Phlox subulata, Moss Pink... | 1.00 | 5.00 | |
| *Potentilla tridentata, Wineleaf Cinquefoil | 1.00 | 4.00 | 35.00 |
| *Sedum reflexum, Jenny Stonecrop clumps | .75 | 3.00 | 25.00 |
| * “ telephenum, Livforever | .75 | 3.00 | 25.00 |
| *Tiarilla cordifolia, Alleghany Foamflower | 1.00 | 3.50 | 25.00 |
| *Vinca minor, Common Periwinkle | 1.00 | 4.00 | 30.00 |

HARDY NATIVE WILD FLOWERS AND PLANTS

| | | | |
|--|-----|------|--|
| *Achillea millefolium, Common Yarrow | .50 | 3.00 | |
| *Actaea alba, White Baneberry | .75 | 4.00 | |

| | 10 | 100 | 1000 |
|--|------|------|-------|
| Anemone cylindrica, Thimble-weed | .75 | 3.50 | 30.00 |
| *Anemonella thalictroides, Anemonella | .75 | 4.00 | 35.00 |
| *Aquilegia canadensis, American Columbine | .75 | 3.00 | 20.00 |
| Aralia hispida, Bristly Aralia . | .75 | 4.00 | 30.00 |
| “ nudicaulis, Wild Sarsaparilla | .75 | 4.00 | 30.00 |
| *Asarum canadense, Canada Wild Ginger | 1.00 | 4.00 | 30.00 |
| Aster ericoides, Heath Aster.. | .75 | 3.00 | 20.00 |
| “ novibelgi, New York Aster | 1.00 | 4.00 | 30.00 |
| Baptisia tinctora, Yellow Wild Indigo | 1.00 | 5.00 | |
| Epilobium angustifolium, Blooming Sally | 1.00 | 3.00 | 25.00 |
| Eupatorium perfoliatum, Boneset | .75 | 3.50 | 30.00 |
| “ purpureum, Joe-Pie-Weed . | .75 | 3.00 | 25.00 |
| Gentiana andrewsii, Closed Gentian | .75 | 3.50 | 30.00 |
| “ linearis, Narrow Leaf Gentian | .75 | 3.50 | 30.00 |
| Hemerocallis fulva, Tawny Day Lily | .75 | 3.50 | 30.00 |
| Linnaea americana, American Twinflower | 1.00 | 4.00 | 30.00 |
| Linaria vulgaris, Toad Flax .. | 1.00 | 4.00 | |
| Maianthemum canadense, False-Lily - of - the - Valley... | .75 | 3.00 | 25.00 |
| Mentha spicata, Spearmint ... | .75 | 3.50 | 25.00 |
| Nepeta cataria, Catnip | 1.00 | 4.00 | |
| *Polygonatum commutatum, Great Solomon Seal | 1.00 | 5.00 | 40.00 |
| Rudbeckia hirta, Black-Eyed Susan | .75 | 3.50 | 25.00 |
| Saponaria officinalis, Bouncing-Bet | .75 | 3.00 | 25.00 |
| Smilacina racemosa, False Solomon Seal | .75 | 3.00 | 25.00 |
| Tanacetum Vulgare, Common Tansy | .50 | 2.50 | 20.00 |
| Viola blanda, Sweet White Violet | .75 | 3.00 | 20.00 |
| “ cucullata, Blue Marsh Violet | .75 | 3.00 | 20.00 |
| * “ pedata, Birdsfoot Violet.... | 1.00 | 3.00 | 25.00 |
| * “ pubescens, Downy Yellow Violet | 1.00 | 3.00 | 25.00 |

HARDY NATIVE EVERGREENS

| | 10 | 100 | 1000 |
|--|----|-------|--------|
| <i>Abies balsamea</i> , Balsam Fir | | | |
| 3-6 in. | | 2.00 | 10.00 |
| 6-12 in. | | 2.50 | 15.00 |
| 12-18 in. | | 5.00 | 40.00 |
| 18-24 in. | | 9.00 | 75.00 |
| <i>Chamaecyparis thyoides</i> , South- ern White Cedar | | | |
| 3-6 in. | | 2.00 | 10.00 |
| 6-12 in. | | 2.50 | 15.00 |
| 1-2 ft. | | 3.50 | 25.00 |
| 2-3 ft. | | 5.50 | 45.00 |
| <i>Juniperus communis</i> , Com- mon Juniper | | | |
| 4-8 in. | | 2.00 | 15.00 |
| 8-12 in. | | 3.00 | 20.00 |
| 12-18 in. | | 10.00 | 70.00 |
| 18-24 in. | | 15.00 | 110.00 |
| <i>Juniperus communis depressa</i> , Prostrate Juniper | | | |
| 4-8 in. | | 2.00 | 15.00 |
| 8-12 in. | | 3.00 | 20.00 |
| 12-18 in. | | 10.00 | 70.00 |
| 18-24 in. | | 15.00 | 110.00 |
| <i>Juniperus virginiana</i> , Red Cedar | | | |
| 4-8 in. | | 4.00 | |
| 8-12 in. | | 7.50 | |
| 1-2 ft. | | 10.00 | |
| <i>Picea rubra</i> , Red Spruce | | | |
| 4-8 in. | | 2.00 | 12.00 |
| 8-12 in. | | 2.50 | 15.00 |
| 1-2 ft. | | 4.00 | 30.00 |
| 2-3 ft. | | 6.00 | 50.00 |
| <i>Pinus resinosa</i> , Red Pine | | | |
| 6-12 in. | | 3.50 | |
| 1.2 ft. | | 8.00 | |
| 2-3 ft. | | 15.00 | |
| <i>Pinus strobus</i> , White Pine. | | | |
| We can ship <i>Pinus strobus</i> in New England and New York State. Ask for prices. | | | |
| <i>Pinus rigida</i> , Pitch Pine | | | |
| 1-2 ft. | | 7.50 | 60.00 |
| 2-3 ft. | | 12.50 | |
| <i>Taxus canadensis</i> , Canadian Yew | | | |
| 6-18 in. Rooted Layers | | 2.50 | 20.00 |
| <i>Tsuga canadensis</i> , Canada Hem- lock | | | |
| 4-8 in. | | 2.00 | 10.00 |
| 8-12 in. | | 2.50 | 20.00 |
| 12-18 in. | | 6.00 | 50.00 |
| 18-24 in. | | 8.00 | 65.00 |

All Evergreens are carefully collected and packed to reach you in good condition. We advise all Evergreens shipped express.

HARDY NATIVE TREES AND SHRUBS COLLECTED

| | 10 | 100 | 1000 |
|--|------|-------|--------|
| Acer Pennsylvanicum, Striped Maple | | | |
| 6-12 in. | | 2.50 | 20.00 |
| 1-2 ft. | | 3.00 | 25.00 |
| 2-4 ft. | | 5.00 | 40.00 |
| “ rubrum, Red Maple | | | |
| 1-2 ft. | | 2.00 | 15.00 |
| 2-3 ft. | | 2.50 | 20.00 |
| 3-5 ft. | | 5.00 | 40.00 |
| 6-8 ft. | 5.00 | 30.00 | |
| “ saccharum, Sugar Maple | | | |
| 6-12 in. | | 1.50 | 10.00 |
| 1-2 ft. | | 2.00 | 15.00 |
| 2-3 ft. | | 3.00 | 25.00 |
| 3-4 ft. | | 6.00 | 50.00 |
| 4-6 ft. | | 15.00 | 100.00 |
| 6-8 ft. | 5.00 | 35.00 | |
| 8-10 ft. | 7.50 | 60.00 | |
| “ spicatum, Mountain Maple | | | |
| 1-3 ft. | | 3.50 | |
| 3-5 ft. | | 7.50 | |
| Alnus rugosa, Hazel Alder | | | |
| 2-3 ft. clumps | | 6.00 | 50.00 |
| 3-5 ft. clumps | 4.00 | 20.00 | |
| Amerlanchier canadensis, Downy Shadblow | | | |
| 6-18 in. | | 4.50 | 40.00 |
| 1-3 ft. clumps | | 12.00 | |
| 3-5 ft. clumps | | 25.00 | |
| 5-7 ft. clumps | 8.00 | 60.00 | |
| Amerlanchier stolonifera, Running Shadblow | | | |
| 1-3 ft. | | 5.00 | 40.00 |
| Aronia atropurpurea, Purple Chokeberry | | | |
| 1-3 ft. | | 2.50 | 20.00 |
| 2-4 ft. clumps | | 20.00 | |
| “ melanocarpa, Black Chokeberry | | | |
| 1-3 ft. | | 2.50 | 15.00 |
| 2-4 ft. clumps | | 15.00 | |
| Azalea rosea, Downy Pinxterbloom | | | |
| 1-2 ft. | | 7.00 | 60.00 |
| 1-2 ft. clumps, 3 branches or more | 6.00 | 20.00 | |
| 2-3 ft. clumps, 4 branches or more | 8.00 | 35.00 | |
| “ viscosa, Swamp Azalea | | | |
| 1-3 ft. | | 10.00 | |
| 3-5 ft. clumps | 7.50 | 40.00 | |
| Benzoin aestivale, Spicebush | | | |
| 1-2 ft. | | 4.00 | 35.00 |
| 2-4 ft. clumps | 4.00 | 20.00 | |
| 4-6 ft. clumps | 6.00 | 30.00 | |

| | 10 | 100 | 1000 |
|---------------------------|------|-------|-------|
| Betula lenta, Sweet Birch | | | |
| 6-18 in. | | 2.00 | 15.00 |
| 1½-3 ft. | | 3.00 | 25.00 |
| 3-4 ft. | | 5.00 | 40.00 |
| 4-6 ft. | 3.00 | 15.00 | |
| 6-8 ft. | 5.00 | 30.00 | |

TREES AND SHRUBS

| | | | |
|---|------|-------|--------|
| Betula lutea, Yellow Birch | | | |
| 6-18 in. | | 2.00 | 15.00 |
| 1½-3 ft. | | 3.00 | 20.00 |
| 3-4 ft. | | 6.00 | 50.00 |
| 4-6 ft. | 3.00 | 15.00 | 90.00 |
| 6-8 ft. | 5.00 | 35.00 | |
| “ papyrifera, Canoe Birch | | | |
| 6-12 in. | | 2.00 | 15.00 |
| 1-3 ft. | | 3.50 | 25.00 |
| 3-4 ft. | | 6.00 | 50.00 |
| 4-6 ft. | | 12.50 | 100.00 |
| 6-8 ft. | 5.00 | 30.00 | |
| 8-10 ft. | 7.50 | 50.00 | |
| “ populifolia, Gray Birch | | | |
| 1-3 ft. | | 2.00 | 15.00 |
| 3-4 ft. | | 3.00 | 25.00 |
| 4-6 ft. | | 8.00 | 60.00 |
| Carpinus caroliniana, American Hornbeam | | | |
| 1-2 ft. | | 3.00 | 20.00 |
| 2-4 ft. | | 4.00 | 35.00 |
| Ceanothus americanus, Jersey Tea | | | |
| Clumps | | 15.00 | |
| Cephalanthus occidentalis, Buttonbush | | | |
| 6-18 in. | | 4.00 | 30.00 |
| 1½-3 ft. | 3.00 | 9.00 | |
| Chamaedaphne calyculator, Leather Leaf | | | |
| Small | | 2.50 | 20.00 |
| Large clumps | | 9.00 | 70.00 |
| Clethra alnifolia, Summersweet | | | |
| 6-18 in. | | 2.00 | 15.00 |
| 1-2 ft. clumps | | 5.00 | 40.00 |
| 2-3 ft. clumps | | 10.00 | 80.00 |
| 3-5 ft. clumps | 3.50 | 20.00 | |
| Comptonia asplenifolia, Sweetfern | | | |
| 6-18 in. | | 2.00 | 15.00 |
| Clumps | | 6.00 | 50.00 |
| Cornus alternifolia, Pagoda Dogwood | | | |
| 6-18 in. | | 4.00 | 30.00 |
| 1½-3 ft. | | 7.50 | |
| 3-5 ft. | 3.00 | 15.00 | |

| | 10 | 100 | 1000 |
|---|------|-------|-------|
| Cornus amomum, Silky Dog- wood | | | |
| 6-18 in. | | 2.50 | 20.00 |
| 1½-3 ft. clumps | | 5.00 | 40.00 |
| 3-5 ft. clumps | 4.00 | 20.00 | |
| “ florida, Flowering Dogwood | | | |
| 6-12 in. | | 2.50 | 20.00 |
| 1-2 ft. | | 3.00 | 25.00 |
| 2-4 ft. | | 7.50 | 60.00 |
| 4-6 ft. | | 12.50 | |
| 6-8 ft. | 7.50 | 40.00 | |
| 8-10 ft. | 9.00 | 65.00 | |
| Cornus paniculata, Gray Dog- wood | | | |
| 1-2 ft. | | 2.50 | 20.00 |
| 2-3 ft. clumps | 1.50 | 7.00 | 50.00 |
| 3-4 ft. clumps | 2.50 | 10.00 | 70.00 |
| “ rugosa, Roundleaf Dogwood | | | |
| 1-2 ft. | | 2.50 | 20.00 |
| 2-3 ft. | | 3.50 | 30.00 |
| “ stolnifera, Red-osier Dog- wood | | | |
| 6-18 in. | | 3.00 | |
| 1½-3 ft. | | 5.00 | |
| Corylus americana, American Hazelnut | | | |
| 1-2 ft. | | 2.50 | 20.00 |
| 2-4 ft. clumps | | 10.00 | 80.00 |
| “ rostrate, Beaked Hazelnut | | | |
| 1-3 ft. | | 2.50 | 20.00 |
| 3-5 ft. clumps | | 17.50 | |
| Crataegus coccinea, Thicket Hawthorn | | | |
| 1-3 ft. | | 6.00 | |
| 3-5 ft. | | 10.00 | |
| 5-8 ft. | 7.50 | 50.00 | |
| Diervilla trifida, Dwarf Bush- Honeysuckle | | 2.50 | 20.00 |
| Clumps | 1.50 | 7.50 | 60.00 |
| Dirca palustris, Leatherwood | | | |
| 1-2 ft. | | 4.00 | |
| 2-3 ft. Branched | 2.50 | 10.00 | |
| 3-5 ft. Heavy Branched ... | 5.00 | 20.00 | |
| Fagus americana, American Beech | | | |
| 6-18 in. | | 3.00 | 20.00 |
| 2-4 ft. | | 8.00 | |
| 4-6 ft. | 3.00 | 15.00 | |
| 6-8 ft. | 6.00 | 40.00 | |
| Fraxinus americana, White Ash | | | |
| 1-2 ft. | | 2.00 | 15.00 |
| 2-4 ft. | | 5.00 | 40.00 |
| “ nigra, Black Ash | | | |
| 1-3 ft. | | 10.00 | |
| Gaylussacia baccata, Black Huckleberry .. | | | |
| 6-12 in. | | 3.00 | 20.00 |
| 1-2 ft. clumps | | 8.00 | 70.00 |

| | 10 | 100 | 1000 |
|--|------|-------|--------|
| 2-3 ft. Heavy clumps, 10-in. sods | | 12.00 | 90.00 |
| Hamamelis virginiana, Common Witch Hazel | | | |
| 1-3 ft. | | 3.00 | 25.00 |
| 2-4 ft. clumps | | 20.00 | 150.00 |
| 4-6 ft. clumps | 6.00 | 30.00 | |
| Hicoria ovata, Shagbark Hickory | | | |
| 1-3 ft. | | 15.00 | |
| 3-5 ft. | | 25.00 | |
| Ilex verticillata, Common Wintergreen | | | |
| 1-3 ft. | | 3.00 | 20.00 |
| 2-4 ft. Berry bearing clumps | 2.50 | 12.00 | 90.00 |
| 4-6 ft. Berry bearing clumps | 6.00 | 30.00 | |
| Kalmia angustifolia, Lambkill | | | |
| 6-12 in. | | 3.00 | 20.00 |
| 1-3 ft. clumps | 2.50 | 12.50 | |
| Kalmia latifolia, Mountain Laurel | | | |
| 4-8 in. seedling | | 4.00 | 35.00 |
| 8-12 in. seedling | | 5.00 | 40.00 |
| 1-2 ft. clumps | | 25.00 | |
| 2-3 ft. heavy clumps | 6.00 | 35.00 | |
| " polifolia, Bog Kalmia | | 4.00 | 35.00 |
| Ledum latifolium, Labrador Tea | | | |
| 1-2 ft. clumps | | 10.00 | |
| Lyonia ligustrina, He-Huckleberry | | | |
| 2-4 ft. clumps | | 15.00 | |
| Myrica carolinensis, Northern Bayberry | | | |
| 6-12 in. clumps | | 10.00 | |
| " gale, Sweet gale | | | |
| 1-2 ft. | | 2.50 | 20.00 |
| 2-4 ft. clumps | | 9.00 | 70.00 |
| Nemopanthus mucronatus, Mountain Holly | | | |
| 1-3 ft. | | 3.00 | 25.00 |
| 3-4 ft. clumps | | 9.00 | 75.00 |
| 4-5 ft. clumps | | 12.00 | 100.00 |
| Nyssa sylvatica, Tupelo | | | |
| 1-2 ft. | | 7.00 | |
| 2-4 ft. | | 12.00 | |
| Ostrya virginiana, American Hop Hornbeam | | | |
| 6-18 in. | | 2.50 | 20.00 |
| 1½-3 ft. | | 4.00 | 30.00 |
| 3-5 ft. | | 7.50 | 60.00 |
| Potentilla fruticosa, Shrubby Cinquefoil | | | |
| 1-3 ft. | | 5.00 | 40.00 |
| Prunus maritima, Beach Plum | | | |
| 1-2 ft. | | 8.00 | |
| 2-4 ft. | | 12.50 | |

| | 10 | 100 | 1000 |
|--|----|-------|-------|
| <i>Prunus pennsylvanicum</i> , Pin Cherry | | | |
| 1-3 ft. | | 2.50 | 20.00 |
| 3-5 ft. | | 4.50 | 40.00 |
| " <i>serotina</i> , Black Cherry | | | |
| 1-3 ft. | | 3.00 | 25.00 |
| 3-4 ft. | | 4.00 | 35.00 |
| 4-5 ft. | | 5.00 | 45.00 |
| " <i>virginiana</i> , Common Choke-cherry | | | |
| 1-3 ft. | | 3.00 | 20.00 |
| 3-5 ft. | | 4.00 | 35.00 |
| <i>Quercus alba</i> , White Oak | | | |
| 6-18 in. | | 8.00 | |
| 1½-3 ft. | | 12.50 | |
| " <i>prinus</i> , Chestnut Oak | | | |
| 1-3 ft. | | 10.00 | |
| 3-4 ft. | | 15.00 | |
| " <i>rubra</i> , Red Oak | | | |
| 6-18 in. | | 3.50 | 25.00 |
| 1½-3 ft. | | 8.00 | |
| <i>Rhodora canadensis</i> , Rhodora | | | |
| 1-2 ft. | | 3.00 | 25.00 |
| 1-3 ft. clumps | | 15.00 | |
| 2-3 ft. Extra heavy clumps | | 35.00 | |
| <i>Rhus copallina</i> , Shining Sumac | | | |
| 6-18 in. | | 3.00 | 25.00 |
| 1½-3 ft. | | 4.00 | 35.00 |
| <i>Rhus glabra</i> , Smooth Sumac | | | |
| 1-3 ft. | | 3.00 | 25.00 |
| 3-5 ft. | | 4.50 | 40.00 |
| " <i>typhina</i> , Staghorn Sumac | | | |
| 1-3 ft. | | 2.50 | 20.00 |
| 3-5 ft. | | 4.00 | 35.00 |
| 4-5 ft. clumps | | 10.00 | |
| <i>Rosa humilis</i> , Pasture Rose for lining out | | 2.50 | 20.00 |
| " <i>lucida</i> , Virginia Rose for lining out | | 2.50 | 20.00 |
| " <i>nitida</i> , Bristly Rose for lining out | | 2.50 | 20.00 |
| " <i>rubignosa</i> , Sweetbrier | | 7.50 | |
| <i>Rubus odoratus</i> , Flowering Raspberry | | | |
| 2-4 ft. | | 4.00 | 30.00 |
| <i>Sambucus canadensis</i> , American Elder | | | |
| 2-4 ft. | | 3.50 | 30.00 |
| " <i>pubens</i> , Scarlet Elder | | | |
| 1-3 ft. | | 4.00 | 35.00 |
| <i>Sorbus americana</i> , American Mountain Ash | | | |
| 1-3 ft. | | 10.00 | |
| 3-5 ft. | | 17.50 | |
| <i>Spiraea latifolia</i> , Meadow Spirea | | | |
| Small | | 2.50 | 20.00 |
| 2-3 ft. clumps | | 6.50 | 50.00 |

| | 10 | 100 | 1000 |
|---|------|-------|--------|
| <i>Spirea tomentosa</i> , Hardhack | | | |
| 1-2 ft. | | 2.00 | 20.00 |
| 2-3 ft. clumps | | 6.00 | 50.00 |
| <i>Symphoricarpus racemosus</i> , Common White Snowberry | | 4.00 | 35.00 |
| <i>Syringa vulgaris</i> , Common Lilac | | | |
| 1-3 ft. | | 2.50 | 20.00 |
| 3-5 ft. | | 6.00 | 50.00 |
| 5-7 ft. | | 15.00 | |
| <i>Tilia americana</i> , American Lin- den | | | |
| 1-3 ft. | | 4.50 | 35.00 |
| 3-5 ft. | | 8.00 | |
| <i>Ulmus americana</i> , American Elm | | | |
| 6-18 in. | | 2.50 | 20.00 |
| 1½-3 ft. | | 3.50 | 30.00 |
| 3-5 ft. | | 5.00 | |
| <i>Vaccinium corymbosum</i> , High- bush Blueberry | | | |
| 6-12 in. | | 3.50 | 30.00 |
| 1-2 ft. clumps | 2.00 | 10.00 | 80.00 |
| 2-3 ft. clumps, heavy | 3.00 | 15.00 | 125.00 |
| 3-4 ft. clumps, heavy | 4.00 | 25.00 | |
| 4-6 ft. clumps, heavy | 5.00 | 40.00 | |
| " <i>pennsylvanicum</i> , Lowbush Blue- berry | | | |
| 4-8 in. | | 3.00 | 20.00 |
| 8 in. square clumps | | 6.00 | 50.00 |
| " <i>vacillans</i> , Dryland Blueberry | | 8.00 | |
| <i>Viburnum acerfolium</i> , Maple- leaf Viburnum | | | |
| 1-2 ft. | | 2.00 | 15.00 |
| 2-3 ft. clumps | | 15.00 | |
| " <i>alnifolium</i> , Hobblebush | | | |
| 6-18 in. | | 3.00 | 20.00 |
| 1½-3 ft. | | 12.50 | |
| <i>Viburnum americanum</i> , Ameri- can Highbush Cranberry | | | |
| 1-3 ft. | | 4.00 | |
| 3-5 ft. clumps | 4.00 | 20.00 | |
| 5-7 ft. clumps | 6.00 | 35.00 | |
| " <i>cassinoides</i> , Whithe Rod | | | |
| 6-18 in. | | 2.00 | 15.00 |
| 1½-3ft. clumps | | 9.00 | 75.00 |
| 3-4 ft. clumps | 4.00 | 12.50 | 100.00 |
| 4-6 ft. clumps | 6.00 | 35.00 | |
| " <i>dentatum</i> , Arrow Wood | | | |
| 6-18 in. | | 2.00 | 15.00 |
| 1½-3 ft. clumps | | 8.00 | 70.00 |
| 3-4 ft. clumps | 3.50 | 12.50 | 90.00 |
| 4-6 ft. clumps | 4.00 | 30.00 | |
| " <i>lentago</i> , Nannyberry | | | |
| 6-18 in. | | 3.00 | 25.00 |
| 1½-3 ft. clumps | | 10.00 | 75.00 |
| 3-4 ft. clumps | | 12.00 | |
| 4-6 ft. clumps | 5.00 | 35.00 | |
| " <i>pubescens</i> , Downey Viburnum | | | |
| 1-3 ft. | | 5.00 | |
| 3-5 ft. | | 10.00 | |

**We Furnish Trees and Shrubs
in Clump or Tree form with
or without Ball and Burlap in
larger sizes.**

Write for Prices.

**To buyers unknown to us, we must have
references or cash.**

